

GPULSE

Hearing the **inner voice**

Founded in 1994, G.PULSE has been dedicating to the manufacture of innovative ECG heart rate monitors & cyclocomputers. G.PULSE are committed to being the excellent partner for people to exercise more efficiently and safely for moving into a healthier life.

From 2005 on, G.PULSE announced the Comfortable Fit - the fabric heart rate chest strap with own development. This concept provides a truly rash free environment during exercise routine and allows wearers the comfort from smooth waver conductive web.

Concentrating on the faith of healthier fitness services, G.PULSE keeps developing innovative products for clients and users a better way of training. Combined with Comfortable Fit chest strap, G.PULSE focusing on establish a whole new convenient interface & system by PC monitoring.

Furthermore, the coming new heart rate monitors & cyclocomputers will build in the intelligent software to offer the live and personal suggestions during exercising.

G.PULSE, always works towards the further enhancement of your aspirations.

GPULSE



TaiSPO Innovation Product
EXCELLENCE AWARD



G3 TEAM SYSTEM

Creativity & Key point

- 30 to 1 (sensors to dongle) team system application
- Coded transmission
- Long distance transmission (For both Indoor & Outdoor, Transmission range including a basketball court – 28m*15m)
- PC software "Live" monitoring & graph showing figures
- Feasible for download different HR intensity training courses
- With long-term records of personal date & graphs

Application

- PC software is feasible to design as customized style & different parameters application
- Convenient for build in signal application in different interface
- Detailly record & analysis personal exercise information
- Supplying environment such as Gym or basketball court by multi-users' training (30M transmission range)



PC Monitoring interface



GUIDE THE WAY | NAVIXPORT S1

Long-time electric power! Simple, Streamline & Stylish!

G.PULSE Navixport S1 comes with Long Battery Life (up to 22 hours) in GPS navigation for guiding exercise journey & record tracks with abundant information.

Speed screen displays speed (current, average, maximum), altitude, distance, duration, calories burned and CO2 offset on your way to encourage getting outside for health and better environment. Beacon function is unique by easy operation and will lead you back to wherever you place a beacon quickly.

Guider function includes outdoor manual tracks recorded by points (POI) & paths (Back Track) ideas, letting users trace the destination or back to the starting point conveniently. You can also preset route plan in PC software and download to Navixport S1 to guide the waypoints step by step for organizing a safe & joyful journey with single or group exercise (Ex : Team biking & hiking activities) , or use Theme Navigation as well to apply some well-known classified POIs.

Track date formats are feasible to be GPX, KML etc. by applying free map sources like Google Maps & sharing GPS trip information on public GPS journey website.

Just enjoy exercising with it!



SBM-0800

7 Function Wireless Cyclocomputer

- Speedometer 99 mile/h (km/h)
 - Odometer 9999.9 mile / km
 - Trip distance 999.9 mile / km
 - Average speed 99.9 mile/h (km/h)
 - Maximum speed 99 mile/h (km/h)
 - Elapsed time 9:59:59 (Hour/Minute/Second)
 - 12 Hour digital clock
-

Wide wheel size input : 96-230cm

MPH/KPH selection

Transmission LED indicator



HRM-9803-V3

20 Function Heart Rate Monitor

- Two automatic training programs per age input (Fat Burning Program and Build Cardiovascular Strength Program)
- Freely programmable Target Zone & exercise time
- Three different audible alarms
- Two different visual alarms
- Current heart rate intensity %
- Efficiency percentage of preset exercise time
- Preset exercise time countdown (over low limit)
- Current heart rate display 35-250 Beats per minute
- Average heart rate display 35-250 Beats per minute
- Average heart rate in 6 optional periods (10-60 minutes)
- Total time over High Limit of Target Zone (Up to 9:59:59)
- Total time over Low Limit of Target Zone (Hour/Minute/Second)
- Stopwatch 9:59:59 (Hour/Minute/Second)
- 12/24 Hour Clock
- Unique transmission LED indicator
- Target Zone indicator
- Target Zone re-settable and re-checkable
- Current cardiovascular strength level
- Time bar in seconds
- EL backlight

.....
Ex-factory 30 meters water - resistance (Watch)

Ex-factory 30 meters water - resistance (Transmitter)

Weak battery detection

3V Batteries changeable

Auto power saving



HRM-9803-V1

19 Function Heart Rate Monitor

- Two automatic training programs per age input (Fat Burning Program and Build Cardiovascular Strength Program)
- Freely programmable Target Zone & exercise time
- Three different audible alarms
- Two different visual alarms
- Current heart rate intensity %
- Efficiency percentage of preset exercise time
- Preset exercise time countdown (over low limit)
- Current heart rate display 35-250 Beats per minute
- Maximum heart rate display 35-250 Beats per minute
- Average heart rate in 6 optional periods (10-60 minutes)
- Total time over High Limit of Target Zone (Up to 9:59:59)
- Total time over Low Limit of Target Zone (Hour/Minute/Second)
- Stopwatch 9:59:59 (Hour/Minute/Second)
- 12/24 Hour Clock
- Unique transmission LED indicator
- Target Zone indicator
- Target Zone re-settable and re-checkable
- Current cardiovascular strength level
- Time bar in seconds

.....

Ex-factory 30 meters water - resistance (Watch)
Ex-factory 30 meters water - resistance (Transmitter)
Weak battery detection
3V Batteries changeable
Auto power saving



HRM-9802-V1

14 Function Heart Rate Monitor

- Two automatic training programs per age input (Fat Burning Program and Build Cardiovascular Strength Program)
- Freely programmable Target Zone & exercise time
- Three different audible alarms
- Visual alarms
- Preset exercise time countdown (over low limit)
- Current heart rate display 35-250 Beats per minute
- Maximum heart rate display 35-250 Beats per minute
- Average heart rate in 6 optional periods (10-60 minutes)
- Total time over High Limit of Target Zone (Up to 9:59:59)
- Total time over Low Limit of Target Zone (Hour/Minute/Second)
- Stopwatch 9:59:59 (Hour/Minute/Second)
- 12/24 Hour Clock
- Unique transmission LED indicator
- Target Zone re-settable and re-checkable

.....
Ex-factory 30 meters water - resistance (Watch)

Ex-factory 30 meters water - resistance (Transmitter)

Weak battery detection

3V Batteries changeable

Auto power saving



HRM-9801-V1

12 Function Heart Rate Monitor

- Automatic training programs per age input (Fat Burning Program)
- Freely programmable Target Zone & exercise time
- Three different audible alarms
- Visual alarms
- Preset exercise time countdown (over low limit)
- Current heart rate display 35-250 Beats per minute
- Total time over High Limit of Target Zone (Up to 9:59:59)
- Total time over Low Limit of Target Zone (Hour/Minute/Second)
- Stopwatch 9:59:59 (Hour/Minute/Second)
- 12/24 Hour Clock
- Unique transmission LED indicator
- Target Zone re-settable and re-checkable

.....
Ex-factory 30 meters water – resistance (Watch)

Ex-factory 30 meters water – resistance (Transmitter)

Weak battery detection

3V Batteries changeable

Auto power saving





ACS-HR01-MF

Heart Rate Chest Belt

Compatible with most market brand Heart Rate Monitors & Receivers

3V Lithium battery included and changeable
Unique Transmission LED indicator



ACS-HR04-MF

Fabric Heart Rate Chest Belt

Compatible with most market brand Heart Rate Monitors & Receivers

3V Lithium battery included and changeable
Unique Transmission LED indicator

Electrode engineered into fabric strap
Flexible, breathable, rash free
Replaceable strap (washable)



ACS-RX series

Heart Rate Receiver

Compatible with most market brand 5KHz Heart Rate Transmitter

3V or 5V power supply item selectable
Long receiving distance item selectable
With different anti-interference item selectable



ANT+ devices

ANT+ protocol compatible Heart Rate Chest Belt/ Speed Sensor/ Cadence Sensor ...etc.

We're willing to be an excellent partner for providing OEM/ODM service on designing & manufacturing ANR+ devices.

Sparkler

Single LED Bright Light

Dimension : 120 x 42 x 15 mm

Color: TRANSPARENT RED/ YELLOW/

PINK/ WHITE (Customized Color :

MOQ 2000sets / per color)

Battery: CR2032 x 2 (included)

Battery Life: 120 hours (Flash)

Light modes: 1. Flash 2. Rapid flash

3. Steady light



EL Saddle Bag

Dimension : 162 x 113 x 85mm

Color: Black & Silver

Battery: AA x 2 (excluded)

Light modes:

1. Flash

2. Steady light



Hydroscope

Bright 7 LED Silicon Light

Dimension : 140 x 62 x 38 mm

Customized Color :

MOQ 5000pcs / per color

Battery : AAA x 3 (included)

Light modes : 1. Flash 2. Rapid flash

3. Steady lightLED : Super bright LED x 7



GPULSE

G.PULSE INTERNATIONAL CO., LTD.

16-3 Lane 852 Tu Cheng Rd., Ta Li, Taichung Hsin, Taiwan R.O.C.

TEL: 886-4-24929406 FAX: 886-4-24920608

E-mail: gpulse@ms18.hinet.net

www.gpulse.com